



SLIDING GATES OPERATORS

FAAC
Simply automatic.

Sliding gates operators

Model		Power supply				Leaf max weight (kg)	Gate speed (m/min)	Oil-bath	Limit switch	Use			Start Kit available
		230 Vdc	115 Vdc	24 Vdc	400 Vdc 3PH					Residential	Condo/Light commercial	Industrial/H commercial	
C720				■		400	18		Magnetic	■			Cyclo Kit
C721				■		800	18		Magnetic	■	■		
740	E Z16	■	■			500	12		Magnetic	■			Delta2 Kit
741	E Z16	■	■			900	12		Magnetic	■			
746 ER	Z16	■				600	9,6	■	Magnetic	■			Pratico Kit
	Z20	■				400	12	■	Magnetic	■			
	CAT	■				600	12	■	Inductive		■		
	RF	■				600	12	■	Inductive		■		
844 ER	Z16	■	■			1800	9,5	■	Magnetic		■		
	R	■				1800	12 (Z20)	■	Magnetic		■		
	CAT	■				1800	12 (Z20)	■	Inductive			■	
	RF	■				1800	12 (Z20)	■	Inductive			■	
844R 3PH					■	2200	12 (Z20)	■	Inductive			■	
844R Rev		■				1000	11,6 (Z12)	■	Inductive		■	■	
884 MC 3PH					■	3500	10 (Z16)	■	Micro switches			■	
C850		■				1800	20 ÷ 42	■	4 integrated mechanical			■	

■ C720/C721 24 Vdc

Low-voltage gearmotor for sliding gates with max weight of 800 kg (C721) and 400 kg (C720).



■ 740 / 741

Gearmotor for residential sliding gates with max weight of 500 kg (740) and 900 kg (741).



■ 746 ER

Oil-bath gearmotor for sliding gates with max weight of 600 kg.



CE

■ 844 ER

Gearmotor for sliding gates with max weight of 1800 kg.



CE

■ 844 R 3PH

Gearmotor for sliding gates with max weight of 2200 kg.



CE

■ 844 R REV.

Gearmotor for sliding gates with max weight of 1000 kg.
(Reversible Gearmotor)

■ 884 MC 3PH


Gearmotor for sliding gates with max weight of 3500 kg.

■ C850

Gearmotor for sliding gates with max weight of 1800 kg.



CE



RIYADH

☎ 011-4657722

☎ 011-4661323

✉ salesr@aflak.com.sa

JEDDAH

☎ 012-6736677

☎ 012-6554516

✉ sales@aflak.com.sa

www.aflak.com.sa

KHOBAR

☎ 013-8644070

☎ 013-8986549

✉ aflakkhob@aflak.com.sa